

| Ref # | Hits | Search Query  | DBs   | Default Operator | Plurals | Time Stamp       |
|-------|------|---|---|------------------|---------|------------------|
| S1    | 168  | isolate\$4 with execution with (unit or module or component)  | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | AND              | ON      | 2004/12/08 13:28 |
| S2    | 1    | isolate\$4 with execution with (unit or module or component) same rmi   | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | AND              | ON      | 2004/12/10 17:27 |
| S3    | 13   | isolate\$4 with execution with (unit or module or component) and rmi  | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | AND              | ON      | 2004/12/08 13:30 |
| S4    | 1    | isolate\$4 near execution near (unit or module or component) and rmi  | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | AND              | ON      | 2004/12/08 13:30 |
| S5    | 2    | isolate\$4 near execution near (unit or module or component)  | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | AND              | ON      | 2004/12/08 13:30 |
| S6    | 199  | (virtual adj machine or unix adj process or browser) same (mediat\$4 or intermed\$4 or interface or proxy or stub) same (remote adj (method or procedure) or rmi)   | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | AND              | ON      | 2004/12/08 13:32 |
| S7    | 72   | (virtual adj machine or unix adj process or browser) with (mediat\$4 or intermed\$4 or interface or proxy or stub) same (remote adj (method or procedure) or rmi)   | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | AND              | ON      | 2004/12/08 14:23 |
| S8    | 6    | (virtual adj machine or unix adj process or browser) with (remote adj (method or procedure) or rmi) near3 (adapt\$4 or socket)  | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | AND              | ON      | 2004/12/08 14:53 |
| S9    | 17   | (virtual adj machine or unix adj process or browser) same (remote adj (method or procedure) or rmi) near3 (adapt\$4 or socket)  | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | AND              | ON      | 2004/12/08 14:29 |
| S10   | 27   | ("5123017"   "5307354"   "5379448"   "5499340"   "5577197"   "5590056"   "5621892"   "5768119"   "5768523"   "5768524"   "5781737"   "5805785"   "5809238"   "5822543"   "5844808"   "5855550"   "5864535"   "5864653"   "5867659"   "5870724"   "5872784"   "5878326"   "5889863"   "5958010"   "6144993"   "6343295"   "6671724").PN. | US-PGPUB; USPAT; USOCR                        | AND              | ON      | 2004/12/08 14:32 |
| S11   | 0    | ("6754704").URPN  | USPAT   | AND              | ON      | 2004/12/08 14:34 |
| S12   | 4    | JRMP  | USPAT   | AND              | ON      | 2004/12/08 14:35 |
| S13   | 6    | Java adj Remote adj Method adj Protocol   | USPAT   | AND              | ON      | 2004/12/08 14:35 |

|     |     |  |  |     |     |                  |
|-----|-----|--|--|-----|-----|------------------|
| S14 | 838 | (719/328).CCLS.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR  | OFF | 2004/12/08 14:35 |
| S15 | 400 | (719/313).CCLS.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR  | OFF | 2004/12/08 14:35 |
| S16 | 307 | (718/1).CCLS.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR  | OFF | 2004/12/08 14:35 |
| S17 | 2   | (*6327624")URPN  | USPAT  | AND | ON  | 2004/12/08 14:52 |
| S18 | 9   | ("5021949"   "5063500"   "5649101"   "5754830"   "5907678"   "5931913"   "5954798"   "5958013"   "5964836").PN.  | US-PGPUB;<br>USPAT;<br>USOCR                                 | AND | ON  | 2004/12/08 14:53 |
| S19 | 32  | (virtual adj machine or process or browser or isolat\$4 adj2 unit) with (remote adj (method or procedure) or rmi) near3 (adapt\$4 or socket or mediat\$4)              | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | AND | ON  | 2004/12/08 15:13 |
| S20 | 31  | S19 and ((@ad < "20011031") or (@prad < "20011031") or (@rlad < "20011031"))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | AND | ON  | 2004/12/09 18:23 |
| S21 | 90  | (virtual adj machine or process or browser or isolat\$4 adj2 unit) with (remote adj (method or procedure) or rmi) near3 (adapt\$4 or socket or mediat\$4 or interface) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | AND | ON  | 2004/12/08 15:13 |
| S22 | 82  | S21 and ((@ad < "20011031") or (@prad < "20011031") or (@rlad < "20011031"))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | AND | ON  | 2004/12/08 15:14 |
| S23 | 51  | S22 not S20  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | AND | ON  | 2004/12/08 15:14 |
| S24 | 21  | RMI with server with object with socket  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | AND | ON  | 2004/12/08 15:29 |
| S25 | 2   | browser with applet with (interface or media\$4 or intermed\$4 or socket or adapt\$4 or connect\$4) same (protocol) same (rmi or remote adj method)                    | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | AND | ON  | 2004/12/08 15:31 |
| S26 | 10  | browser with applet with (interface or media\$4 or intermed\$4 or socket or adapt\$4 or connect\$4) same (rmi or remote adj method)                                    | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | AND | ON  | 2004/12/08 15:31 |

|     |     |  |   |     |    |                  |
|-----|-----|--|---|-----|----|------------------|
| S27 | 4   | ("6539422").URPN.  | USPAT   | AND | ON | 2004/12/08 15:34 |
| S28 | 33  | ("4801786"   "4825058"   "5034598"   "5052020"   "5070536"   "5121342"   "5218188"   "5261079"   "5295154"   "5309352"   "5322991"   "5349678"   "5365546"   "5404493"   "5418684"   "5425051"   "5440564"   "5471596"   "5572512"   "5577229"   "5586281"   "5604516"   "5623603"   "5979757"   "5999948"   "6027024"   "6073169"   "6178426"   "6199753"   "6243105"   "6308205"   "6321991"   "6321992").PN | US-PGPUB; USPAT; USOCR                        | AND | ON | 2004/12/08 16:07 |
| S29 | 55  | ((remote adj method adj invocation) or rmi).ab.  | US-PGPUB; USPAT; USOCR                        | AND | ON | 2004/12/08 16:08 |
| S30 | 75  | JAVA with RMI with server with object  | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | AND | ON | 2004/12/08 17:18 |
| S31 | 14  | JAVA with RMI with server with object same (translat\$4 or conver\$4 or format\$4 or marshal\$4)   | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | AND | ON | 2004/12/08 17:30 |
| S32 | 7   | (RMI or (remote adj method)) with server with object same (translat\$4 or conver\$4 or format\$4 or marshal\$4) same (link or path)  | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | AND | ON | 2004/12/08 17:30 |
| S33 | 17  | (RMI or (remote adj method)) with server with object same (translat\$4 or conver\$4 or format\$4 or marshal\$4) same (link or path or session or connection)   | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | AND | ON | 2004/12/08 18:26 |
| S34 | 277 | (RMI or (remote adj method)) with object with server   | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | AND | ON | 2004/12/08 17:41 |
| S35 | 96  | (RMI or (remote adj method)) with object with server same (protocol or socket)   | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | AND | ON | 2004/12/08 17:45 |
| S36 | 27  | (RMI or (remote adj method)) with object with server same (protocol or socket) same (translat\$4 or conver\$4 or format\$4 or map\$4 or marshal\$4 or unmarshal\$4)  | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | AND | ON | 2004/12/08 17:47 |
| S37 | 52  | xlet   | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | AND | ON | 2004/12/08 17:47 |
| S38 | 15  | xlet same java   | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | AND | ON | 2004/12/08 17:57 |

|     |     |   |  |     |     |                  |
|-----|-----|---|--|-----|-----|------------------|
| S39 | 737 | browser with (applet or servlet or xlet) with (interface or socket or adapt\$4 or connector or proxy or stub)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | AND | ON  | 2004/12/08 17:59 |
| S40 | 112 | browser with (applet or servlet or xlet) with (interface or socket or adapt\$4 or connector or proxy or stub) same (protocol)                               | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | AND | ON  | 2004/12/08 18:00 |
| S41 | 93  | S40 and ((@ad < "20011031") or (@prad < "20011031") or (@rlad < "20011031"))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | AND | ON  | 2004/12/08 18:06 |
| S42 | 32  | browser with (applet or servlet or xlet) near3 (interface or socket or adapt\$4 or connector or proxy or stub) same (protocol)                              | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | AND | ON  | 2004/12/08 18:00 |
| S43 | 54  | (rmi or (remote adj method adj invocation)) same client same (server with object) same (browser or virtual adj machine)                                     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | AND | ON  | 2004/12/08 18:06 |
| S44 | 41  | S43 and ((@ad < "20011031") or (@prad < "20011031") or (@rlad < "20011031"))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | AND | ON  | 2004/12/08 18:19 |
| S45 | 37  | ("6016496").URPN.   | USPAT  | AND | ON  | 2004/12/08 18:17 |
| S46 | 15  | ("5295265" "5307490" "5630042" "5687373" "5696901" "5724406" "5761663" "5764915" "5764977" "5768510" "5828843" "5832226" "5857102" "5857197" "5889957").PN. | US-PGPUB;<br>USPAT;<br>USOCR                                 | AND | ON  | 2004/12/08 18:18 |
| S47 | 2   | ("6633923").PN.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR  | OFF | 2004/12/08 18:19 |
| S48 | 53  | (RMI or (remote adj method)) with server with object same (translat\$4 or conver\$4 or format\$4 or marshal\$4)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | AND | ON  | 2004/12/08 18:27 |
| S49 | 37  | ("6016496").URPN.   | USPAT  | AND | ON  | 2004/12/08 18:27 |
| S50 | 2   | ("6233619").PN.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR  | OFF | 2004/12/09 12:35 |
| S51 | 2   | ("6167464").PN.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR  | OFF | 2004/12/09 12:35 |
| S52 | 5   | ("5850187" "5867110" "5907491" "5911774" "5950148").PN.   | US-PGPUB;<br>USPAT;<br>USOCR                                 | AND | ON  | 2004/12/09 12:36 |

|     |     |   |  |     |    |                  |
|-----|-----|---|--|-----|----|------------------|
| S53 | 54  | (RMI or (remote adj method)) with server with object same<br>(translat\$4 or conver\$4 or format\$4 or marshal\$4)                                | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2004/12/09 18:22 |
| S54 | 29  | S53 and (((@ad < "20011031") or (@prad < "20011031") or (@rlad < "20011031")))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2004/12/09 18:23 |
| S56 | 2   | isolat\$3 adj execution adj unit  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR  | ON | 2004/12/09 18:27 |
| S57 | 1   | isolat\$4 with execution with (unit or module or component or domain or space) same rmi   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2004/12/10 09:47 |
| S58 | 14  | isolat\$4 with execution with (unit or module or component or domain or space) and (rmi or (remote adj method adj invocation))                    | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2004/12/10 09:57 |
| S59 | 12  | S58 and (((@ad < "20011031") or (@prad < "20011031") or (@rlad < "20011031")))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR  | ON | 2004/12/10 10:48 |
| S60 | 10  | ("5924098"   "5946487"   "6066181"   "6108754"   "6138238"   "6141794"   "6321298"   "6345313"   "6374286"   "6453460").PN.                       | US-PGPUB;<br>USPAT;<br>USOCR                                 | OR  | ON | 2004/12/10 09:51 |
| S61 | 2   | ("6567974").URPN.   | USPAT  | OR  | ON | 2004/12/10 09:54 |
| S62 | 103 | isolat\$4 near2 (unit or module or component or domain or space) and (rmi or (remote adj method adj invocation))                                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2004/12/10 09:59 |
| S63 | 57  | isolat\$4 near2 (unit or module or component or domain or space) and (rmi or (remote adj method adj invocation)) and applet                       | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2004/12/10 10:02 |
| S64 | 20  | (jvm or (java adj virtual adj machine)) with (run\$4 or execut\$4) adj5 (multiple or multi or plurality) adj5 (program or application or process) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | AND | ON | 2004/12/10 10:04 |
| S65 | 15  | S64 and (((@ad < "20011031") or (@prad < "20011031") or (@rlad < "20011031")))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR  | ON | 2004/12/10 10:05 |
| S66 | 127 | ((Java adj Remote adj Method adj Invocation) or RMI).ab.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR  | ON | 2004/12/10 10:49 |

|     |     |   |  |    |     |                  |
|-----|-----|---|--|----|-----|------------------|
| S67 | 100 | S66 and (((@ad < "20011031") or (@prad < "20011031") or (@rlad < "20011031")))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2004/12/10 10:49 |
| S68 | 42  | ((Java adj Remote adj Method adj Invocation) or RMI same object).ab   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2004/12/10 10:49 |
| S69 | 30  | S68 and (((@ad < "20011031") or (@prad < "20011031") or (@rlad < "20011031")))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2004/12/10 11:02 |
| S70 | 7   | ("6529962" or ("6496865") or ("6487607")).PN  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2004/12/10 11:02 |
| S71 | 3   | ("6487607").URPN.   | USPAT  | OR | ON  | 2004/12/10 11:14 |
| S72 | 17  | (US-20020161894-\$ or US-20030149967-\$ or US-20020138665-\$).did. or (US-6480882-\$ or US-6493768-\$ or US-6539422-\$ or US-6542908-\$ or US-6571252-\$ or US-6609158-\$ or US-6636831-\$ or US-6691122-\$ or US-6754704-\$ or US-6567974-\$ or US-6513158-\$ or US-6529962-\$ or US-6496865-\$ or US-6728788-\$).did. | US-PGPUB;<br>USPAT   | OR | ON  | 2004/12/10 14:03 |
| S73 | 10  | S72 and (path or connection or session) and (conver\$4 or translat\$4)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2004/12/10 15:29 |
| S74 | 5   | inter with isolation with communication same object   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2004/12/10 15:31 |
| S75 | 19  | inter with isolation with communication and (remote with (procedure or method or call))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2004/12/10 15:32 |